



WIRING KEY									
COLOUR	COMPONENT	TYP. MAX CURRENT (A)	COMMENT						
RED	LED - POWER	5.60	N/A						
BLK	GROUND	5.60	20A LIMIT						
BRN	PRIMARY PATTERN	0.01	ALT L/R QF CL1						
ORG	SECONDARY PATTERN	0.01	ALL ON QF CL1						
YEL	ALLEY LEFT	N/A	N/A						
GRN	ALLEY RIGHT	N/A	N/A						
BLU	WORKLIGHT	N/A	N/A						
VIO	PATTERN SELECT	0.01	N/A						

SPECIFICATIONS

- 1. CERTIFICATIONS; R10 & R65 CLASS 1 APPROVED
- 2. FLASH MODE: QUAD 125 ± 5 FPM ALT L/R
- 3. VOLTAGE (NOMINAL): 12/24 VDC
- 4. CURRENT (MAXIMUM): 5.60 A (at 12VDC)
- 5. CONNECTION: 14 & 26 AWG WIRES
- 6. MOUNTING: 4-BOLT THROUGH MOUNTING KIT
- 7. BASE MATERIAL: PC (BLACK) 8. LENS MATERIAL: PC (CLEAR)

						 	 <u> </u>
			^	4	^		85[3.3]
NG NOT SHOWN	¥.,	.)			—		

NOTES:

- 1. CABLES AND WIRING NOT SHOWN
- 2. TOP VIEW: TOP LENSES NOT SHOWN FOR CLARITY
- 3. MOUNTING FEET: ADD 30mm TO OVERALL HEIGHT 4. THE LENGTH BETWEEN MOUNTING FEET IS ADJUSTABLE
- 5. CABLE LENGTH 4.5m (15 ft)
- 6. CABLE EXIT DRIVER'S SIDE
- 7. DIMENSIONS IN MILLIMETRES [INCHES(FOR REFERENCE)]
- 8. USE SUB ASSEMBLY (143-00006-13) FOR MANUFACTURE

PROPRIETARY AND CONFIDENTIAL INFORMATION

THIS DRAWING AND THE DESIGN AND OTHER INFORMATION DISCLOSED HERBIN ARE THE PROPERTY OF ELECTRONIC CONTROLS COMPANY AND/OR ITS ECCO SAFETY GROUP AFFILIATES
("ECCO") AND IS ISSUED IN CONFIDENCE TO RECIPIENT FOR ENCINEERING INFORMATION PURPOSES ONLY. THIS DRAWING AND THE DESIGN AND OTHER INFORMATION DISCLOSED
HERBIN MAY NOT BE LISED, COPIED, REPRODUCED OR OTHERWER DISCLOSED IN PART OR IN WHOLE TO THIRD PART OR IN WHOLE TO THIRD PART OR IN WHOLE TO THIRD PART OR IN WHOLE TO THE PART OR WHOLE THE PROPERTY OF WHITE PART OR IN WHITE PROPERTY OF WHITE PROPERTY OF WHITE PROPERTY OF THE PROPERTY OF WHITE PROPERTY OF THE PROP

	SCALE 1:8 CAD GENERATED DRAWING DO NOT MANUALLY UPDATE. MODEL REFERENCED: D+			APF	PROVALS	DATE				_ ^		
				DRAWN BY	NP	2018-10-15		EC	CCC	ຶ ∨	vww.eccolink	.com
				CHECKED	JUP	2018-10-17	(XX)					
	TOLERANCES ARE IN INCHES, AND MILLIMETERS TOLERANCES UNLESS OTHERWISE STATED ARE:			MECH. ENG.	JGW	2018-10-15	Americas (800)	•	Europe +44 (0)113 2		Asia Pacific +61 (0)3	
	MILLIMETERS DECIMALS	INCHES DECIMALS	ANGLES ± 0.5°	ELEC. ENG.			AS	SY,SUI	B,LBR,13,49	7"/1.	25M,CLEAR	
	XX. ± 1.0mm XX.X ± 0.5mm	X.X ± 0.1 X.XX ± 0.04	FRACTIONS	TEST ENG.	DFG	2018-10-30	CUSTOMER PAR				PRODUCT SERIES:	
	TUUS	X.XXX ± 0.02 ± 1/64 THIRD ANGLE PROJECTION		SALES.			13-000	U6-E			13	
res	IHIRD ANGLE PROJECTION					SIZE: A4	DWG. NO	o. 13	3-00C	06-E	REV.	
F			Electronically Controlled Use Latest Copy			SHEET 1 OF 1	Project: LL(0132	Date Cr	eated: 2017-06-23		